

















Facility Name	Offers In-Center Hemodialysis	Address Line 1
RENAL ADVANTAGE - JACKSON		200 SOUTH EAST AVE
RAI ROYAL PARK - ZEELAND		2 ROYAL PARK DR
RENAL ADVANTAGE - CLYDE PARK		4893 CLYDE PARK AVE SW
RENAL ADVANTAGE - WEST NORTON		1080 WEST NORTON AVE
RENAL ADVANTAGE - ROCKFORD PARK		311 ROCKFORD PARK DR NE






City	State	Late Shift?	Chain Owned	Chain Organization
JACKSON	MI			RENAL ADVANTAGE, INC.
ZEELAND	MI			RENAL ADVANTAGE, INC.
WYOMING	MI			RENAL ADVANTAGE, INC.
MUSKEGON	MI			RENAL ADVANTAGE, INC.
ROCKFORD	MI			RENAL ADVANTAGE, INC.

# of Dialysis Stations	Offers In-Center Peritoneal Dialysis	Offers Home Hemodialysis Training
23		
14		
36		
16		
16		



Based on Dialysis Facility Compare - Listing by Facility



% of Patients with High Hemoglobin	Patient Survival (2005-2008)	Quality Standards Text	Total Performance Score
	1% BETTER THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	21 out of 30
	2% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	4% BETTER THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	12% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	0% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30

National Average	Hg < 10 g/dL component score (FACILITY)	Hg < 10 g/dL component score (US)	Meets Standard for Hg < 10 g/dL component score	Hg > 12 g/dL component score (FACILITY)	Hg > 12 g/dL component score (US)
26	4 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10

Meets Standard for Hg > 12 g/dL component score	URR >= 65% component score (FACILITY)	URR >= 65% component score (US)	Meets Standard for URR >= 65% component score
YES	10 out of 10	9 out of 10	YES

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----








YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


















Based on Dialysis Facility Compare - Listing by Facility








RENAL ADVANTAGE - HOLLAND		649 HASTINGS AVE
UNIV OF MI DIALYSIS CLINICS - ANN ARBOR		2850 S INDUSTRIAL HWY, SUITE 100
UNIV OF MI DIALYSIS CLINICS - LIVONIA		19900 HAGGERTY RD, SUITE 106
RRC - MT MORRIS		G-7220 N SAGINAW RD
RRC - DAVISON		2031 FAIRWAY DR
RRC - LAPEER		1375 N MAIN STREET
RRC - WEST FLINT		G4007 CORUNNA RD



HOLLAND	MI			RENAL ADVANTAGE, INC.
ANN ARBOR	MI			REGIONAL-RENAL RESEARCH INSTITUTE
LIVONIA	MI			REGIONAL-RENAL RESEARCH INSTITUTE
MOUNT MORRIS	MI			REGIONAL-RELIANT RENAL CARE
DAVISON	MI			REGIONAL-RELIANT RENAL CARE
LAPEER	MI			REGIONAL-RELIANT RENAL CARE
FLINT	MI			REGIONAL-RELIANT RENAL CARE

18		
17		
16		
17		
16		
12		
24		



	5%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	4%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	1%	BETTER THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	14%	WORSE THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	18 out of 30
	19%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	6%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	22%	AS EXPECTED	This Facility Meets 3 of 3	30 out of 30

# molly

Based on Dialysis Facility Compare - Listing by Facility

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	2 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----






YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----













YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----













YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----







NORTHERN MICHIGAN HOSPITAL		DIALYSIS UNIT
GREENFIELD HS - DETROIT WEST PAVILION		2799 W GRAND BLVD
GREENFIELD HS - TROY		2050 LIVERNOIS, SUITE A
GREENFIELD HS - DEARBORN		19001 HUBBARD DR
GREENFIELD HS - TAYLOR		24565 HAIG ROAD
GREENFIELD HS - LIVONIA		14555 LEVAN RD

PETOSKEY	MI			REGIONAL-NORTHERN MI HOSPITAL
DETROIT	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
TROY	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
DEARBORN	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
TAYLOR	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
LIVONIA	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS



13			
46			
16			
36			
27			
13			



			Quality Standards	
	13%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	6%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	5%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	21 out of 30
	10%	AS EXPECTED	This Facility Meets 1 of 3 Quality Standards	17 out of 30
	6%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	24 out of 30
	16%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	26 out of 30

# molly

Based on Dialysis Facility Compare - Listing by Facility

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	4 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	2 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----









YES	8 out of 10	9 out of 10	NO
-----	-------------	-------------	----

















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

















YES	4 out of 10	9 out of 10	NO
-----	-------------	-------------	----




Based on Dialysis Facility Compare - Listing by Facility






GREENFIELD HS - PONTIAC		44200 WOODWARD AVE STE 109
GREENFIELD HS - NORTHWEST DETROIT		7800 W OUTER DR SUITE L10
GREENFIELD HS - EASTPOINTE		21400 KELLY RD
SOUTHEAST MICHIGAN KIDNEY CENTER		1695 W 12 MILE RD, SUITE 250
NW DETROIT DIALYSIS - LAHSER SATELLITE		25664 LAHSER ROAD
MACOMB REGIONAL DIALYSIS CENTER		16151 19 MILE RD
GREENFIELD HS - NORTHLAND PARK		21000 NORTHWESTERN HWY
GREAT LAKES RENAL NW - ALMA		330 E WARWICK DR

PONTIAC	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
DETROIT	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
EASTPOINTE	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
BERKLEY	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
SOUTHFIELD	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
CLINTON TOWNSHIP	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
SOUTHFIELD	MI			REGIONAL-GREENFIELD HEALTH SYSTEMS
ALMA	MI			REGIONAL-GREAT

21		
42		
26		
0		
24		
15		
30		
17		





	5% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	4% AS EXPECTED	This Facility Meets 1 of 3 Quality Standards	9 out of 30
	4% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	0% AS EXPECTED	No Score was assigned for this Facility	
	4% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	18 out of 30
	8% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	0% BETTER THAN EXPECTED	This Facility	15 out of 30

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	2 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	2 out of 10	9 out of 10	NO
-----	-------------	-------------	----








YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES		9 out of 10	N/A
-----	--	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

		
REGIONAL DIALYSIS - BAY CITY		3170 PROFESSIONAL CT
REGIONAL DIALYSIS - WEST BRANCH		599 COURT ST
REGIONAL DIALYSIS - MIDLAND		4901 JEFFERSON AVE
ALPENA DIALYSIS SERVICES		301 OXBOW DR
DIALYSIS SERVICES OF GAYLORD		1989 WALDEN DR
THUMB AREA DIALYSIS CENTER		6757 MAIN ST

				LAKES/REGIONAL DIALYSIS
BAY CITY	MI			REGIONAL-GREAT LAKES/REGIONAL DIALYSIS
WEST BRANCH	MI			REGIONAL-GREAT LAKES/REGIONAL DIALYSIS
MIDLAND	MI			REGIONAL-GREAT LAKES/REGIONAL DIALYSIS
ALPENA	MI			REGIONAL-GREAT LAKES/REGIONAL DIALYSIS
GAYLORD	MI			REGIONAL-GREAT LAKES/REGIONAL DIALYSIS
CASS CITY	MI			REGIONAL-GREAT LAKES/REGIONAL DIALYSIS

		
16		
14		
24		
19		
12		
16		





	0% AS EXPECTED	Meets 2 of 3 Quality Standards	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	0% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	18 out of 30	
	0% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30	
	0% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30	
	0% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30	
	4% AS EXPECTED	This Facility Meets 2 of 3 Quality	24 out of 30	

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	2 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------



Based on Dialysis Facility Compare - Listing by Facility

YES                      10 out of 10                      9 out of 10                      YES

YES                      10 out of 10                      9 out of 10                      YES

YES                      10 out of 10                      9 out of 10                      YES















YES                      10 out of 10                      9 out of 10                      YES


YES                      10 out of 10                      9 out of 10                      YES







YES                      10 out of 10                      9 out of 10                      YES

REGIONAL DIALYSIS - GLADWIN	✓	673 QUARTER ST
GREAT LAKES RENAL NW - GREENVILLE	✓	101 S GREENVILLE WEST DR
GREAT LAKES RENAL NW - MT PLEASANT	✓	404 S CRAPO ST
BEAUMONT DIALYSIS SERVICES - BERKLEY	✓	2624 11 MILE RD
BEAUMONT HOSPITAL - STERLING HGTS	✓	44300 DEQUINDRE RD
BEAUMONT DIALYSIS SVCS - FRANKLIN CENTER	✓	26400 W 12 MILE RD STE 112
BEAUMONT HOSPITAL - ROCHESTER HILLS	✓	6700 N ROCHESTER RD

GLADWIN	MI			REGIONAL-GREAT LAKES/REGIONAL DIALYSIS
GREENVILLE	MI			REGIONAL-GREAT LAKES/REGIONAL DIALYSIS
MOUNT PLEASANT	MI			REGIONAL-GREAT LAKES/REGIONAL DIALYSIS
BERKLEY	MI			REGIONAL-BEAUMONT HOSPITAL
STERLING HEIGHTS	MI			REGIONAL-BEAUMONT HOSPITAL
SOUTHFIELD	MI			REGIONAL-BEAUMONT HOSPITAL
ROCHESTER HILLS	MI			REGIONAL-BEAUMONT HOSPITAL

19		
10		
15		
28		
18		
12		
8		



	0% AS EXPECTED	Standards	
		This Facility Meets 3 of 3 Quality Standards	30 out of 30
	8% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	4% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	42% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	29 out of 30
	57% BETTER THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
		No Score was assigned for this Facility	
	55% AS EXPECTED	This Facility Meets 3 of 3	30 out of 30



26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	N/A		10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----








YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	8 out of 10	9 out of 10	NO
-----	-------------	-------------	----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


N/A		9 out of 10	N/A
-----	--	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

BEAUMONT HOSPITAL - HAZEL PARK		23231 JOHN R RD
DEVOS CHILDRENS HOSP - DIALYSIS UNIT		100 MICHIGAN ST NE
UNIV OF MI DIALYSIS - ADULT		1500 E MEDICAL CTR DR
MARQUETTE GENERAL HOSPITAL		580 W COLLEGE AVE
PORTAGE HEALTH DIALYSIS CTR		500 CAMPUS DRIVE
ST JOSEPH MERCY HOSP DIALYSIS		5301 E HURON RIVER DR, PO BOX 995
CHIPPEWA DIALYSIS SERVICES		WAR MEMORIAL HOSPITAL

HAZEL PARK	MI			REGIONAL-BEAUMONT HOSPITAL
GRAND RAPIDS	MI			INDEPENDENT
ANN ARBOR	MI			INDEPENDENT
MARQUETTE	MI			INDEPENDENT
HANCOCK	MI			INDEPENDENT
ANN ARBOR	MI			INDEPENDENT
SAULT ST MARIE	MI			INDEPENDENT

18		
3		
4		
15		
12		
14		
9		



	58% AS EXPECTED	Quality Standards	26 out of 30
		This Facility Meets 2 of 3 Quality Standards	
	AS EXPECTED	No Score was assigned for this Facility	
	4% AS EXPECTED	No Score was assigned for this Facility	
		This Facility Meets 2 of 3 Quality Standards	15 out of 30
	0% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	62% AS EXPECTED	No Score was assigned for this Facility	
		No Score was assigned for this Facility	

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26		8 out of 10	N/A		10 out of 10
----	--	-------------	-----	--	--------------

26		8 out of 10	N/A		10 out of 10
----	--	-------------	-----	--	--------------

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26		8 out of 10	N/A		10 out of 10
----	--	-------------	-----	--	--------------





Based on Dialysis Facility Compare - Listing by Facility

YES	4 out of 10	9 out of 10	NO
-----	-------------	-------------	----

N/A		9 out of 10	N/A
-----	--	-------------	-----

N/A		9 out of 10	N/A
-----	--	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES		9 out of 10	N/A
-----	--	-------------	-----















N/A		9 out of 10	N/A
-----	--	-------------	-----









Based on Dialysis Facility Compare - Listing by Facility

MUNSON DIALYSIS CENTER		4062 W ROYAL DR
MOSES DIALYSIS UNIT		1140 N STATE ST
GREAT LAKES DIALYSIS, LLC		14614 KERCHEVAL ST
LIFE - ALYSIS KIDNEY CENTER		5830 CONNER STREET
KALKASKA DIALYSIS CENTER		415 - 2ND ST
LIBERTY DIALYSIS AT LAKELAND - ROYALTON		3772 HOLLYWOOD RD
LIBERTY DIALYSIS AT LAKELAND - NILES		8 LONGMEADOW VILLAGE DR

TRAVERSE CITY	MI			INDEPENDENT
SAINT IGNACE	MI			INDEPENDENT
DETROIT	MI			INDEPENDENT
DETROIT	MI			INDEPENDENT
KALKASKA	MI			INDEPENDENT
SAINT JOSEPH	MI			INDEPENDENT
NILES	MI			INDEPENDENT

18		
6		
24		
13		
12		
25		
24		



	12%	BETTER THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	25%	AS EXPECTED	This Facility Meets 1 of 3 Quality Standards	8 out of 30
	7%	BETTER THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	23%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	6%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	2%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
		AS EXPECTED	No Score was assigned for this	

# molly

Based on Dialysis Facility Compare - Listing by Facility

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26		8 out of 10	N/A		10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	0 out of 10	9 out of 10	NO
-----	-------------	-------------	----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----








YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


N/A		9 out of 10	N/A
-----	--	-------------	-----









OAKWOOD OUTPATIENT DIALYSIS CENTER		18100 OAKWOOD BLVD STE 206
CHILDRENS HOSP OF MI DIALYSIS (6 WEST)		3901 BEAUBIEN BLVD
SPARROW DIALYSIS - ST LAWRENCE CAMPUS		1210 W SAGINAW ST
NORTHSTAR HEALTH SYSTEM - DIALYSIS		1328 US HWY 2
DAVITA - DEARBORN		1185 MONROE ST
DAVITA - SOUTHGATE		14752 NORTHLINE RD
DAVITA - MOTOR CITY DIALYSIS		4727 SAINT ANTOINE ST

DEARBORN	MI			INDEPENDENT
DETROIT	MI			INDEPENDENT
LANSING	MI			INDEPENDENT
CRYSTAL FALLS	MI			INDEPENDENT
DEARBORN	MI			GAMBRO HEALTHCARE
SOUTHGATE	MI			GAMBRO HEALTHCARE
DETROIT	MI			GAMBRO HEALTHCARE

18			
7			
18			
6			
24			
30			
2			



Facility			
	12% BETTER THAN EXPECTED	No Score was assigned for this Facility	
	19% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	6% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	24% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	23 out of 30
	18% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	21 out of 30
	13% AS EXPECTED	No Score was assigned for this Facility	

26		8 out of 10	N/A		10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	4 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10



Based on Dialysis Facility Compare - Listing by Facility

--	--	--	--

N/A		9 out of 10	N/A
-----	--	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----








YES	0 out of 10	9 out of 10	NO
-----	-------------	-------------	----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES		9 out of 10	N/A
-----	--	-------------	-----


















Based on Dialysis Facility Compare - Listing by Facility








DAVITA - REDFORD		22711 GRAND RIVER AVE
DAVITA - LUDINGTON		5 ATKINSON DR STE 101
DAVITA - NEWAYGO COUNTY		1317 W MAIN ST
OAKLAWN DIALYSIS CENTER		310 E MICHIGAN AVE
FMC DIALYSIS - DETROIT		9300 CONANT
FMC DIALYSIS - LIVONIA		32423 SCHOOLCRAFT RD
WASHTENAW REGIONAL DIALYSIS CTR		5205 MC AULEY DR



DETROIT	MI			GAMBRO HEALTHCARE
LUDINGTON	MI			GAMBRO HEALTHCARE
FREMONT	MI			GAMBRO HEALTHCARE
MARSHALL	MI			FRESENIUS MEDICAL CARE (FMC)
HAMTRAMCK	MI			FRESENIUS MEDICAL CARE (FMC)
LIVONIA	MI			FRESENIUS MEDICAL CARE (FMC)
YPSILANTI	MI			FRESENIUS MEDICAL CARE (FMC)

32		
9		
14		
8		
22		
20		
20		



	10% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	16% BETTER THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	3% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	26 out of 30
	11% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	21% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	7% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	24 out of 30
	1% AS EXPECTED	This Facility Meets 2 of 3	27 out of 30

# molly

Based on Dialysis Facility Compare - Listing by Facility

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----





YES	4 out of 10	9 out of 10	NO
-----	-------------	-------------	----













YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----













YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

FMC DIALYSIS - EAST DETROIT		22151 MOROSS RD, PROF BLDG ONE
FMC - COLDWATER		360 E CHICAGO ST, SUITE 112
FMC DIALYSIS - PORT HURON		2607 ELECTRIC AVE
FMC DIALYSIS - WARREN		30300 HOOVER RD STE 100
FMC DIALYSIS - ADRIAN		715 LAKESHIRE TRL
FMC - BOTSFORD PARK		28425 W 8 MILE RD

DETROIT	MI			FRESENIUS MEDICAL CARE (FMC)
COLDWATER	MI			FRESENIUS MEDICAL CARE (FMC)
PORT HURON	MI			FRESENIUS MEDICAL CARE (FMC)
WARREN	MI			FRESENIUS MEDICAL CARE (FMC)
ADRIAN	MI			FRESENIUS MEDICAL CARE (FMC)
LIVONIA	MI			FRESENIUS MEDICAL CARE (FMC)



16			
12			
26			
24			
18			
29			



			Quality Standards	
	8%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	7%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	24 out of 30
	15%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	27 out of 30
	8%	BETTER THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	6%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	7%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	21 out of 30

# molly

Based on Dialysis Facility Compare - Listing by Facility

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	4 out of 10	8 out of 10	NO	10 out of 10	10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----



Based on Dialysis Facility Compare - Listing by Facility

BAY AREA REGL DIALYSIS CTR -  
SAGINAW



4800 MCLEOD DR E

FMC DIALYSIS - FLINT



2222 S LINDEN RD, SUITE S

FMC DIALYSIS - OWOSSO



918 CORUNNA AVE

FMC DIALYSIS - ROMEO PLANK



46591 ROMEO PLANK RD, SUITE 101

FMC DIALYSIS - MADISON HEIGHTS



25780 COMMERCE DR

FMC DIALYSIS - NORTHWEST  
DETROIT

















18944 GRAND RIVER AVE

FMC DIALYSIS - UNIVERSITY




18430 LIVERNOIS ST

SAGINAW	MI			FRESENIUS MEDICAL CARE (FMC)
FLINT	MI			FRESENIUS MEDICAL CARE (FMC)
OWOSSO	MI			FRESENIUS MEDICAL CARE (FMC)
MACOMB TOWNSHIP	MI			FRESENIUS MEDICAL CARE (FMC)
MADISON HEIGHTS	MI			FRESENIUS MEDICAL CARE (FMC)
DETROIT	MI			FRESENIUS MEDICAL CARE (FMC)
DETROIT	MI			FRESENIUS MEDICAL CARE (FMC)






27		
21		
13		
16		
18		
26		
32		







Based on Dialysis Facility Compare - Listing by Facility

	8% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	16% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	9% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	24 out of 30
	12% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	10% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	21 out of 30
	8% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	9% AS EXPECTED	This Facility Meets 3 of 3	30 out of 30

# molly

Based on Dialysis Facility Compare - Listing by Facility

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	4 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----







YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----













YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----













YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----







BAY AREA REG DIALYSIS - ESSEXVILLE		1536 W CENTER AVE
GREAT LAKES DIALYSIS - MONROE		700 STEWART RD, SUITE 103
FMC - BATTLE CREEK SOUTH		2845 CAPITAL AVE SW, STE 104
FMC - EAST LANSING		2601 COOLIDGE RD STE A
FMC DIALYSIS - BRIGHTON		315 WEST NORTH ST, STE C
FMC DIALYSIS - CLINTON		35351-A GRATIOT AVE

ESSEXVILLE	MI			FRESENIUS MEDICAL CARE (FMC)
MONROE	MI			FRESENIUS MEDICAL CARE (FMC)
BATTLE CREEK	MI			FRESENIUS MEDICAL CARE (FMC)
EAST LANSING	MI			FRESENIUS MEDICAL CARE (FMC)
BRIGHTON	MI			FRESENIUS MEDICAL CARE (FMC)
CLINTON TOWNSHIP	MI			FRESENIUS MEDICAL CARE (FMC)

24			
16			
18			
32			
8			
32			





			Quality Standards	
	2%	WORSE THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	27 out of 30
	6%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	7%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	10%	WORSE THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	27 out of 30
	0%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	6%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30

# molly

Based on Dialysis Facility Compare - Listing by Facility

26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----



Based on Dialysis Facility Compare - Listing by Facility

FMC DIALYSIS - ROMULUS



11200 METRO AIRPORT CTR DR,  
SUITE 120

FMC - ALLEGAN



730 AIRWAY DR

FMC - OSHTEMO



6739 SEECO DR

FMC - KALAMAZOO



521 E MICHIGAN AVE

FMC DIALYSIS - BEWICK



10201 E JEFFERSON AVE, 1ST FL

FMC DIALYSIS - CONNER

















5555 CONNER AVE SUITE 2003


FMC DIALYSIS - WEST ANN ARBOR









2355 W STADIUM BLVD

ROMULUS	MI			FRESENIUS MEDICAL CARE (FMC)
ALLEGAN	MI			FRESENIUS MEDICAL CARE (FMC)
KALAMAZOO	MI			FRESENIUS MEDICAL CARE (FMC)
KALAMAZOO	MI			FRESENIUS MEDICAL CARE (FMC)
DETROIT	MI			FRESENIUS MEDICAL CARE (FMC)
DETROIT	MI			FRESENIUS MEDICAL CARE (FMC)
ANN ARBOR	MI			FRESENIUS MEDICAL CARE (FMC)

14		
12		
24		
24		
32		
32		
10		



	9% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	18 out of 30
	7% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	4% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	8% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	2% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	12% WORSE THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	12% AS EXPECTED	This Facility Meets 2 of 3	18 out of 30





Based on Dialysis Facility Compare - Listing by Facility

26	2 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	2 out of 10	8 out of 10	NO	10 out of 10	10 out of 10



Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----







YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----













YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----













YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----







YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

FMC - ESCANABA		3501 LUDINGTON ST
FMC - MANISTEE		1293 E PARKDALE AVE
FMC - CADILLAC		203 PALUSTER ST
FMC - BALDWIN		1101 WASHINGTON AVE
BAY AREA REGL DIALYSIS CTR - SAGINAW RIVERSIDE		920 N NIAGARA ST
FMC - THREE RIVERS		601 S HEALTH PKWY

ESCANABA	MI			FRESENIUS MEDICAL CARE (FMC)
MANISTEE	MI			FRESENIUS MEDICAL CARE (FMC)
CADILLAC	MI			FRESENIUS MEDICAL CARE (FMC)
BALDWIN	MI			FRESENIUS MEDICAL CARE (FMC)
SAGINAW	MI			FRESENIUS MEDICAL CARE (FMC)
THREE RIVERS	MI			FRESENIUS MEDICAL CARE (FMC)

13			
8			
15			
6			
32			
12			



			Quality Standards	
	5%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	17%	BETTER THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	24 out of 30
	12%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	6%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	18 out of 30
	3%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	0%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	27 out of 30

# molly

Based on Dialysis Facility Compare - Listing by Facility

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	2 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10



# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----



Based on Dialysis Facility Compare - Listing by Facility

FMC - BIG RAPIDS



14307 NORTHLAND DR

FMC - ST CLAIR SHORES



26210 HARPER AVE STE 200

FMC - LANSING



3960 PATIENT CARE DR, SUITE 112

FRESENIUS MEDICAL CARE -  
TAYLOR



22970 NORTHLINE ROAD, #100

FMC - TAWAS BAY



1698 E HURON

FMC - SOUTH HAVEN


















199 VETERANS BLVD


FMC - BATTLE CREEK NORTH








233 E ROOSEVELT AVE

BIG RAPIDS	MI			FRESENIUS MEDICAL CARE (FMC)
SAINT CLAIR SHORES	MI			FRESENIUS MEDICAL CARE (FMC)
LANSING	MI			FRESENIUS MEDICAL CARE (FMC)
TAYLOR	MI			FRESENIUS MEDICAL CARE (FMC)
EAST TAWAS	MI			FRESENIUS MEDICAL CARE (FMC)
SOUTH HAVEN	MI			FRESENIUS MEDICAL CARE (FMC)
BATTLE CREEK	MI			FRESENIUS MEDICAL CARE (FMC)

12		
32		
25		
12		
12		
16		
16		



	7%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	26 out of 30
	10%	WORSE THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	8%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	2%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	21%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	4%	AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	3%	AS EXPECTED	This Facility Meets 2 of 3	18 out of 30

# molly

Based on Dialysis Facility Compare - Listing by Facility

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	2 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	4 out of 10	9 out of 10	NO
-----	-------------	-------------	----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----






YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----




FMC - CHARLOTTE		111 LANSING ST, SUITE 120
FMC - KALAMAZOO PD UNIT		527 E MICHIGAN AVE
FMC - SHELBY		56065 VAN DYKE AVE
FMC - CHESTERFIELD		48656 GRATIOT AVE
FMC - KALAMAZOO EAST		2901 E KILGORE RD
LANSING DIALYSIS OF FMC		2710 S WASHINGTON AVE
FMC - SANDUSKY		47 DAWSON ST

CHARLOTTE	MI			FRESENIUS MEDICAL CARE (FMC)
KALAMAZOO	MI			FRESENIUS MEDICAL CARE (FMC)
SHELBY TOWNSHIP	MI			FRESENIUS MEDICAL CARE (FMC)
CHESTERFIELD	MI			FRESENIUS MEDICAL CARE (FMC)
KALAMAZOO	MI			FRESENIUS MEDICAL CARE (FMC)
LANSING	MI			FRESENIUS MEDICAL CARE (FMC)
SANDUSKY	MI			FRESENIUS MEDICAL CARE

12			
2			
24			
16			
17			
25			
12			



	5% AS EXPECTED	Quality Standards	
	9% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	0% AS EXPECTED	No Score was assigned for this Facility	
	18% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	27 out of 30
	3% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	9% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	12% AS EXPECTED	This Facility Meets 1 of 3 Quality Standards	21 out of 30
	12% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES		9 out of 10	N/A
-----	--	-------------	-----








YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----














YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	2 out of 10	9 out of 10	NO
-----	-------------	-------------	----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

		
FRESENIUS - IRON MOUNTAIN		1711 S STEPHENSON AVE
FMC - DUNDEE		129 HELLE BLVD
FMC - CASS RIVER		5414 ROLLING HILLS DR
FRESENIUS MEDICAL CARE - STURGIS		1276 KITSON ST
FMC - CARO DIALYSIS		95 ELMDOR DR
FMC - GULL ROAD		5010 GULL RD









				(FMC)
IRON MOUNTAIN	MI			FRESENIUS MEDICAL CARE (FMC)
DUNDEE	MI			FRESENIUS MEDICAL CARE (FMC)
BRIDGEPORT	MI			FRESENIUS MEDICAL CARE (FMC)
STURGIS	MI			FRESENIUS MEDICAL CARE (FMC)
CARO	MI			FRESENIUS MEDICAL CARE (FMC)
KALAMAZOO	MI			FRESENIUS MEDICAL CARE (FMC)

		
10		
14		
25		
14		
12		
12		



Based on Dialysis Facility Compare - Listing by Facility



	0% AS EXPECTED	Meets 3 of 3 Quality Standards	30 out of 30
	7% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	8% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	33%	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	9%	This Facility Meets 3 of 3 Quality Standards	30 out of 30
		No Score was assigned for this Facility	



Based on Dialysis Facility Compare - Listing by Facility

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26		8 out of 10	N/A		10 out of 10
----	--	-------------	-----	--	--------------



Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----









YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

N/A		9 out of 10	N/A
-----	--	-------------	-----



















Based on Dialysis Facility Compare - Listing by Facility

FMS - SHELDON CORNERS		6064 N SHELDON RD
FRESENIUS MEDICAL CARE - JACKSON OAKS		128 N ELM AVE
FMC - GARDEN CITY		27201 W WARREN ST
FMC DIALYSIS - WATERVLIET		8816 RED ARROW HWY
NORTH OAKLAND KIDNEY CENTER OF DAVITA		450 NORTH TELEGRAPH
CORNERSTONE DIALYSIS OF DAVITA		23857 GREENFIELD RD
NEW CENTER DIALYSIS OF DAVITA		3011 W GRAND BLVD
MACOMB KIDNEY CENTER OF DAVITA		28295 SCHOENHERR RD

CANTON	MI			FRESENIUS MEDICAL CARE (FMC)
JACKSON	MI			FRESENIUS MEDICAL CARE (FMC)
DEARBORN HEIGHTS	MI			FRESENIUS MEDICAL CARE (FMC)
WATERVLIET	MI			FRESENIUS MEDICAL CARE (FMC)
PONTIAC	MI			DAVITA
SOUTHFIELD	MI			DAVITA
DETROIT	MI			DAVITA
WARREN	MI			DAVITA



13		
17		
18		
16		
36		
25		
37		
20		

9%



98%

4%



96%

3%



99%




4%



98%

2%



	0%		No Score was assigned for this Facility	
			No Score was assigned for this Facility	
			No Score was assigned for this Facility	
	11%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	24 out of 30
	15%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	27 out of 30
	14%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	24 out of 30
	33%	AS EXPECTED	This Facility Meets 3 of 3 Quality	30 out of 30

# molly

Based on Dialysis Facility Compare - Listing by Facility

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26		8 out of 10	N/A		10 out of 10
26		8 out of 10	N/A		10 out of 10
26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	9 out of 10	N/A
-----	-------------	-----

N/A	9 out of 10	N/A
-----	-------------	-----








N/A	9 out of 10	N/A
-----	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

DAVITA OF DETROIT - KRESGE		4145 CASS AVE
NOVI KIDNEY CENTER OF DAVITA		47250 W TEN MILE RD
DAVITA - GARDEN WEST		5715 N VENNOY RD
BRIGHTON DIALYSIS OF DAVITA		7960 GRAND RIVER RD STE 210
DAVITA - MUSKEGON		1277 MERCY DR
DAVITA - GRAND HAVEN		16964 ROBBINS RD
DAVITA - GRAND RAPIDS		801 CHERRY ST SE

DETROIT	MI			DAVITA
---------	----	-----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	--------

NOVI	MI			DAVITA
------	----	-----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	--------















WESTLAND	MI			DAVITA
----------	----	-----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	--------

BRIGHTON	MI			DAVITA
----------	----	-----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	--------


MUSKEGON HEIGHTS	MI			DAVITA
---------------------	----	-------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------	--------









GRAND HAVEN	MI			DAVITA
-------------	----	-------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------	--------

GRAND RAPIDS	MI			DAVITA
--------------	----	-------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------	--------

32		
18		
24		
9		
28		
12		
36		





			Standards	
	17%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	27 out of 30
	3%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	26 out of 30
	30%	WORSE THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	26 out of 30
	9%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	27 out of 30
	8%	BETTER THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	48%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	24 out of 30
	4%	AS EXPECTED	This Facility	21 out of 30

26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	4 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------



Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	4 out of 10	9 out of 10	NO
-----	-------------	-------------	----








YES	4 out of 10	9 out of 10	NO
-----	-------------	-------------	----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

		
YPSILANTI DIALYSIS OF DAVITA		2766 WASHTENAW RD
GRAND BLANC DIALYSIS OF DAVITA		3625 GENESYS PKWY
DAVITA - HIGHLAND PARK		64 VICTOR
JACKSON DIALYSIS OF DAVITA		234 W LOUIS GLICK HWY STE 200
CLARKSTON DIALYSIS OF DAVITA		6770 DIXIE HWY STE 205
STATE FAIR DIALYSIS - DAVITA		19800 WOODWARD AVE

				
YPSILANTI	MI			DAVITA
GRAND BLANC	MI			DAVITA
HIGHLAND PARK	MI			DAVITA
JACKSON	MI			DAVITA
CLARKSTON	MI			DAVITA
DETROIT	MI			DAVITA

		
14		
19		
28		
21		
20		
21		





	23% AS EXPECTED	Meets 2 of 3 Quality Standards	This Facility Meets 1 of 3 Quality Standards	20 out of 30
	17% WORSE THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30	
	18% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30	
	18% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	21 out of 30	
	17% WORSE THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30	
	28% AS EXPECTED	This Facility Meets 2 of 3 Quality	15 out of 30	

26	4 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	4 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

YES	8 out of 10	9 out of 10	NO
-----	-------------	-------------	----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

DETROIT DIALYSIS OF DAVITA	✓	2674 E JEFFERSON AVE
DAVITA - SCHAEFER DR	✓	18100 SCHAEFER HWY
DAVITA - CADIEUX	✓	6150 CADIEUX
SAGINAW DIALYSIS CLINIC - DAVITA	✓	1527 E GENESEE AVE
DAVITA - GRAND RAPIDS EAST	✓	1230 EKHART ST NE
DAVITA - DOWNRIVER KIDNEY CTR	✓	5600 ALLEN RD
DAVITA - ROMULUS	✓	31470 ECORSE RD

# molly


Based on Dialysis Facility Compare - Listing by Facility




DETROIT	MI			DAVITA
DETROIT	MI			DAVITA
DETROIT	MI			DAVITA
SAGINAW	MI			DAVITA
GRAND RAPIDS	MI			DAVITA
ALLEN PARK	MI			DAVITA
ROMULUS	MI			DAVITA

21		
20		
32		
10		
25		
24		
12		

# molly

Based on Dialysis Facility Compare - Listing by Facility



	25%	AS EXPECTED	Standards	
	20%	WORSE THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	21 out of 30
	6%	WORSE THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	3%	WORSE THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	32%	BETTER THAN EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	4%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	27 out of 30
	40%	BETTER THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30
	23%	BETTER THAN EXPECTED	This Facility Meets 2 of 3 Quality Standards	23 out of 30



26	4 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	8 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----








YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	0 out of 10	9 out of 10	NO
-----	-------------	-------------	----

		
DAVITA - GREENVIEW		18544 EIGHT MILE ROAD
FLUSHING DIALYSIS OF DAVITA		3469 PIERSON PLACE, STE A
SOUTHFIELD WEST DIALYSIS OF DAVITA		21900 MELROSE AVE
DAVISON DIALYSIS OF DAVITA		1011 SOUTH STATE RD
FLINT DIALYSIS OF DAVITA		2 HURLEY PLAZA, SUITE 115
HALLWOOD DIALYSIS OF DAVITA		4929 CLIO ROAD STE B

				
SOUTHFIELD	MI			DAVITA
FLUSHING	MI			DAVITA
SOUTHFIELD	MI			DAVITA
DAVISON	MI			DAVITA
FLINT	MI			DAVITA
FLINT	MI			DAVITA

		
24		
12		
18		
15		
24		
16		



	13%	BETTER THAN EXPECTED	Meets 2 of 3 Quality Standards	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	14%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	15 out of 30	
	7%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	23 out of 30	
	17%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	24 out of 30	
	13%	AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	24 out of 30	
	21%	AS EXPECTED	This Facility Meets 3 of 3 Quality	30 out of 30	

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	0 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
----	-------------	-------------	----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------





Based on Dialysis Facility Compare - Listing by Facility

YES                      10 out of 10                      9 out of 10                      YES

YES                      10 out of 10                      9 out of 10                      YES

YES                      0 out of 10                      9 out of 10                      NO








YES                      10 out of 10                      9 out of 10                      YES















YES                      10 out of 10                      9 out of 10                      YES















YES                      10 out of 10                      9 out of 10                      YES











Based on Dialysis Facility Compare - Listing by Facility

PARK PLAZA DIALYSIS OF DAVITA		G-1075 N BALLENGER HWY
DAVITA OAK PARK DIALYSIS		13481 W 10 MILE RD
DAVITA BATTLE CREEK DIALYSIS		220 GOODALE AVE E STE B
WESTLAND DIALYSIS OF DAVITA		36588 FORD RD
DAVITA - BALLENGER POINTE		2262 S BALLENGER HWY
ROCHESTER HILLS DIALYSIS OF DAVITA		1886 W AUBURN RD
DAVITA EAST DEARBORN DIALYSIS		13200 W WARREN AVE

FLINT	MI			DAVITA
OAK PARK	MI			DAVITA
BATTLE CREEK	MI			DAVITA
WESTLAND	MI			DAVITA
FLINT	MI			DAVITA
ROCHESTER HILLS	MI			DAVITA
DEARBORN	MI			DAVITA

12			
20			
20			
16			
20			
20			
16			



	0% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	9% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	32% AS EXPECTED	This Facility Meets 2 of 3 Quality Standards	21 out of 30
	20% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	11% AS EXPECTED	This Facility Meets 1 of 3 Quality Standards	21 out of 30
	6% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	17% AS EXPECTED	This Facility	29 out of 30

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	4 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	6 out of 10	8 out of 10	NO	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----








YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----















YES	6 out of 10	9 out of 10	NO
-----	-------------	-------------	----















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


YES	8 out of 10	9 out of 10	NO
-----	-------------	-------------	----



		
DAVITA - CHELSEA		1620 COMMERCE PARK DR
FENTON DIALYSIS OF DAVITA		17420 SILVER PARKWAY
COMMERCE TOWNSHIP DIALYSIS OF DAVITA		120 W COMMERCE RD
DAVITA - IONIA DIALYSIS		2622 HEARTLAND BLVD
DAVITA - KALAMAZOO CENTRAL		535 S BURDICK #110
DAVITA - KALAMAZOO WEST		1040 N 10TH S, STE 100

				
CHELSEA	MI			DAVITA
FENTON	MI			DAVITA
COMMERCE TOWNSHIP	MI			DAVITA
IONIA	MI			DAVITA
KALAMAZOO	MI			DAVITA
KALAMAZOO	MI			DAVITA

		
8		
12		
12		
12		
10		
6		



	Meets 2 of 3 Quality Standards		This Facility Meets 2 of 3 Quality Standards		23 out of 30
	0%	AS EXPECTED			
	10% BETTER THAN EXPECTED		This Facility Meets 2 of 3 Quality Standards		26 out of 30
	16%	AS EXPECTED			
	22% AS EXPECTED		This Facility Meets 3 of 3 Quality Standards		30 out of 30
	22%	AS EXPECTED			
	AS EXPECTED		No Score was assigned for this Facility		



Based on Dialysis Facility Compare - Listing by Facility

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26		8 out of 10	N/A		10 out of 10
----	--	-------------	-----	--	--------------

YES	0 out of 10	9 out of 10	NO
-----	-------------	-------------	----









YES	4 out of 10	9 out of 10	NO
-----	-------------	-------------	----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----
















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

















YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----


N/A		9 out of 10	N/A
-----	--	-------------	-----





GROSSE POINT DIALYSIS OF DAVITA		18000 E WARREN AVE
DAVITA - LANSING HOME HEMODIALYSIS		1676 WATER TOWER PL STE 700
CLINTON TOWNSHIP DIALYSIS OF DAVITA		15918 NINETEEN MILE RD
DAVITA - DEARBORN AT HOME		22030 PARK ST
TEL HURON-WATERFORD DIALYSIS OF DAVITA		225 SUMMIT DR
DAVITA - WEST BLOOMFIELD DIALYSIS		6010 W MAPLE RD STE 215
DAVITA - BURTON DIALYSIS		4015 DAVISON RD
DAVITA - RIVERWOOD DIALYSIS		24467 W 10 MILE RD



DETROIT	MI			DAVITA
EAST LANSING	MI			DAVITA
CLINTON TOWNSHIP	MI			DAVITA
DEARBORN	MI			DAVITA
WATERFORD	MI			DAVITA
WEST BLOOMFIELD	MI			DAVITA
BURTON	MI			DAVITA
SOUTHFIELD	MI			DAVITA

25		
0		
16		
2		
20		
8		
12		
16		



	11% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards No Score was assigned for this Facility	30 out of 30
	16% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
	25% AS EXPECTED	No Score was assigned for this Facility	
	33% AS EXPECTED	This Facility Meets 3 of 3 Quality Standards	30 out of 30
		No Score was assigned for this Facility	
		No Score was assigned for this Facility	
		No Score was assigned for this Facility	

molly

Based on Dialysis Facility Compare - Listing by Facility

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26		8 out of 10	N/A		10 out of 10
----	--	-------------	-----	--	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26	10 out of 10	8 out of 10	YES	10 out of 10	10 out of 10
----	--------------	-------------	-----	--------------	--------------

26		8 out of 10	N/A		10 out of 10
----	--	-------------	-----	--	--------------

26		8 out of 10	N/A		10 out of 10
----	--	-------------	-----	--	--------------

26		8 out of 10	N/A		10 out of 10
----	--	-------------	-----	--	--------------

# molly

Based on Dialysis Facility Compare - Listing by Facility

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

N/A		9 out of 10	N/A
-----	--	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

YES		9 out of 10	N/A
-----	--	-------------	-----

YES	10 out of 10	9 out of 10	YES
-----	--------------	-------------	-----

N/A		9 out of 10	N/A
-----	--	-------------	-----

N/A		9 out of 10	N/A
-----	--	-------------	-----

N/A		9 out of 10	N/A
-----	--	-------------	-----



Based on Dialysis Facility Compare - Listing by Facility

WAYNE COUNTY DIALYSIS



20001 LIVERNOIS AVE STE 500

molly

Based on Dialysis Facility Compare - Listing by Facility

DETROIT

MI



AMERICAN RENAL  
ASSOCIATES (ARA)



23



# molly

Based on Dialysis Facility Compare - Listing by Facility





15%

Facility

This Facility

Meets 3 of 3

Quality

Standards

30 out of 30



Based on Dialysis Facility Compare - Listing by Facility

26

10 out of 10

8 out of 10

YES

10 out of 10

10 out of 10



Based on Dialysis Facility Compare - Listing by Facility

YES

10 out of 10

9 out of 10

YES